

SALVO

TRADITION
MODERN



BICYCLE RACKS

LEADING MANUFACTURER FROM POLAND



www.bicycleracks.eu



TRADITION MODERN

WHO ARE WE?

We are the leading **manufacturer** of bicycle stands. Our production zone features numerically controlled CNC machines for multidimensional pipe bending.

With our machinery, we are manufacturing bicycle stands of every shape, virtually without welding.



**QUALITY
GUARANTEE**

WHY CHOOSE SAWO?



HIGH END MACHINE TOOL STOCK

Our machine tool stock, developed and expanded for years, ensures high production potential.



CUSTOM PROJECTS

Each stand is available in any colour from the RAL chart. We are able to deliver any form required by our clients.



EXPERIENCE

Using our 30-year experience in the business, we have developed cutting edge bicycle stands.



COOPERATION WITH DESIGNERS

Allow yourself to be surprised by the design provided by our team of ambitious designers who are shaping the trends of urban architecture.

www.bicycleracks.eu



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized
or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm



48

mm



3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- mounting plate
- inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- mounting plate
- inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized
or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm



48

mm

3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation

Version with posts longer to be concreted into the ground



1

Mounting options

- mounting plate
- inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized
or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- mounting plate
- inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm



48

mm

3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation

Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- mounting plate
- inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm



48

mm

3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation

Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm



48

mm

3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation

Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized
or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- mounting plate
- inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm


48

mm


3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation



Version with posts longer to be concreted into the ground



1

Mounting options

- ▶ mounting plate
- ▶ inground mounting system

2

Bent steel pipe, diameter

33

mm

42

mm



48

mm

3

The stand may be galvanized or powder coated in each color

RAL



Version with montage foot for anchor with bolts to existing foundation

Version with posts longer to be concreted into the ground



TRADITION
MODERN

Office and showroom

93-181 Łódź
ul. Praska 5/7
Poland

Production plant

95-020 Bedoń
ul. Brzezińska 57
Poland

CONTACT US

Sales department

Tel. +48 886 026 136
Fax +48 42 299 24 03

E-mail:

bicycleracks@bicycleracks.eu